

## **NASALCROM® Product Description**

Prevents and Relieves Nasal Allergy Symptoms

- Runny/itchy nose
- Sneezing
- Allergic stuffy nose
- Without Drowsiness

### **Available in:**

0.44 and 0.88 FL OZ. (13 and 26 mL)

### **Drug Facts**

<b>Active ingredient (per spray)</b>	<b>Purpose</b>
Cromolyn sodium 5.2 mg	Nasal allergy symptom controller

### **Uses**

to prevent and relieve nasal symptoms of hay fever and other nasal allergies:

- runny/itchy nose
- sneezing
- allergic stuffy nose

### **Warnings**

### **Do not use**

- if you are allergic to any of the ingredients

### **Ask a doctor before use if you have**

- fever
- discolored nasal discharge
- sinus pain
- wheezing

## When using this product

- it may take several days of use to notice an effect. Your best effect may not be seen for 1 to 2 weeks.
- brief stinging or sneezing may occur right after use
- do not use it to treat sinus infection, asthma, or cold symptoms
- do not share this bottle with anyone else as this may spread germs

## Stop use and ask a doctor if

- shortness of breath, wheezing, or chest tightness occurs
- hives or swelling of the mouth or throat occurs
- your symptoms worsen
- you have new symptoms
- your symptoms do not begin to improve within two weeks
- you need to use for more than 12 weeks

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Directions

- see package insert on how to use pump
- parent or care provider must supervise the use of this product by young children
- adults and children 2 years and older:
  - spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day.
  - use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust).
  - to **prevent** nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact.
  - if desired, you can use this product with other medicines, including other allergy medicines.
- children under 2 years: Do not use unless directed by a doctor

## Other information

- store between 20° - 25°C (68° - 77°F)
- protect from light
- keep carton and package insert. They contain important instructions.

## Inactive ingredients

benzalkonium chloride, edetate disodium, purified water

**Questions or comments?**

**Call 1-877-9-ALLERGY (1-877-925-5374)**

This website contains the most current Drug Facts labeling information, and may differ from labels on product packaging you may have. If there are any differences between this website labeling and product package labeling, this website labeling should be regarded as the most current.

This product information is intended only for residents of the United States.